

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	("5579471" "6492998").did.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:09
L8	854	"725"/\$.ccls. and mpeg\$4 and (descript\$5) with (media content)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:03
L9	90	"725"/\$.ccls. and mpeg-7 and (descript\$5) with (media content)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:23
L10	93	"725"/\$.ccls. and mpeg-7 same(descript\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:23
L13	208	725/53.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:51
L14	5	725/53.ccls. and (mpeg-7)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:52
L15	35	725/53.ccls. and (descriptor\$1 metadata)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 15:55
L19	33	sezan.in. and mpeg-7	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 16:32
L29	76	725/38-62.ccls. and (descriptor\$1 metadata) with (extract\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:12
L30	204	725/38-62.ccls. and (descriptor\$1 metadata) with (creat\$4 orignat\$5 generat\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:09
L31	58	l29 and l30	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:04
L32	221	725/38-62.ccls. and (descriptor\$1 metadata) with (server headend head adj end source\$1 provider)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:10
L34	5	725/38-62.ccls. and (descriptor\$1 metadata) with (server headend head adj end source\$1 provider) and (server headend head adj end source\$1 provider) with ((processor\$1 cpu microprocessor) and (bus "1394" firewire) and (storage memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:13

EAST Search History

L35	6	725/38-62.ccls. and (descriptor\$1 metadata) with (extract\$4) and ((processor\$1 cpu microprocessor) and (bus "1394" firewire) and (storage memory)) with (stb stt settop set adj top receiver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:13
L36	1	I34 and I35	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:14
L37	24	"725"/\$.ccls. and (descriptor\$1 metadata) with (server headend head adj end source\$1 provider) and (server headend head adj end source\$1 provider) with ((processor\$1 cpu microprocessor) and (bus "1394" firewire) and (storage memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:15
L38	11	"725"/\$.ccls. and (descriptor\$1 metadata) with (extract\$4) and ((processor\$1 cpu microprocessor) and (bus "1394" firewire) and (storage memory)) with (stb stt settop set adj top receiver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:13
L39	1	I37 and I38	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:14
L40	598	725/38-62.ccls. and (descriptor\$1 metadata)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:16
L41	444	725/38-62.ccls. and (descriptor\$1 metadata) and (encod\$4 decod\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:19
L42	81	725/38-62.ccls. and (descriptor\$1 metadata)with(encod\$4 decod\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:16
L44	66	725/38-62.ccls. and (descriptor\$1 metadata) with (server\$1 headend provider\$1 source\$1 provider\$1 head adj end) and (descriptor\$1 metadata) with (stt stb settop set adj top receiver ird)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:21
L45	51	725/38-62.ccls. and (epg program\$5 adj guide program\$5 adj (information data)) with (server\$1 headend provider\$1 source\$1 provider\$1 head adj end) and (descriptor\$1 metadata) with (stt stb settop set adj top receiver ird)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:25

EAST Search History

L46	685	725/38-62.ccls. and (epg program\$5 adj guide program\$5 adj (information data)) with (server\$1 headend provider\$1 source\$1 provider\$1 head adj end) and (epg program\$5 adj guide program\$5 adj (information data)) with (stt stb settop set adj top receiver ird)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:25
L47	66	725/38-62.ccls. and mpeg-7	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:27

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L48	11	725/38-62.ccls. and (epg program\$5 adj guide program\$5 adj (information data)) with (server\$1 headend provider\$1 source\$1 provider\$1 head adj end) with (creat\$5 originat\$5 generat\$5) and (epg program\$5 adj guide program\$5 adj (information data)) with (stt stb settop set adj top receiver ird) with (extract\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 17:31